same (message or packet or email or e-mail or electronic adj mail)  - 364   709/206,207.ccls. and (track\$ or monitor\$)   USPĀT;   IBM TDB   USPĀT;	/26 15:00 /26 15:29 /26 15:09
same (message or packet or email or e-mail or electronic adj mail)  - 364	/26 15:29
To9/206,207.ccls. and (track\$ or monitor\$)  ame (message or packet or email or e-mail or electronic adj mail) and (@ad<20000414)   To9/206,207.ccls. and (track\$ or monitor\$)  ame (message or packet or email or e-mail or electronic adj mail) same (website or web adj site) and (@ad<20000414 or @prad<20000414)  To9/206,207.ccls. and (track\$ or monitor\$)  ame (message or packet or email or e-mail or electronic adj mail) same (website or web adj site) and (@ad<20000414 or @prad<20000414)  To9/206,207.ccls. and (track\$ or monitor\$)  DERWENT;  IBM_TDB  US-PGPUB;  EPO; JPO;  DERWENT;  IBM_TDB  US-PGPUB;  EPO; JPO;  DERWENT;  IBM_TDB  US-PGPUB;  OR PGPUB;  OR P	
To9/206,207.ccls. and (track\$ or monitor\$) ame (message or packet or email or e-mail or electronic adj mail) and (@ad<20000414) US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; Same (message or packet or email or e-mail or electronic adj mail) same (website or web adj site) and (@ad<20000414 or @prad<20000414)  To9/206,207.ccls. and (track\$ or monitor\$) US-PGPUB; EPO; JPO; Web adj site) and (@ad<20000414 or @prad<20000414) TDB USPAT; US-PGPUB; EPO; JPO; Web adj site) and (@ad<20000414 or @prad<20000414) TDB USPAT; USPAT; USPAT;	
709/206,207.ccls. and (track\$ or monitor\$) uspat; same (message or packet or email or e-mail or electronic adj mail) and (@ad<20000414 por @prad<20000414)  709/206,207.ccls. and (track\$ or monitor\$) uspat; EPO; JPO; DERWENT; IBM_TDB uspat;	
same (message or packet or email or e-mail or electronic adj mail) and (@ad<20000414 por @prad<20000414)  Tog/206,207.ccls. and (track\$ or monitor\$)	
or electronic adj mail) and (@ad<20000414   EPO; JPO; DERWENT; IBM_TDB   USPAT; US-PGPUB; or electronic adj mail) same (website or web adj site) and (@ad<20000414 or @prad<20000414)  709/206,207.ccls. and (track\$ or monitor\$) DERWENT; EPO; JPO; web adj site) and (@ad<20000414 or @prad<20000414)  709/206,207.ccls. and (track\$ or monitor\$) USPAT; 2004/04	/26 15:09
or @prad<20000414)  709/206,207.ccls. and (track\$ or monitor\$) USPAT; US-PGPUB; or electronic adj mail) same (website or web adj site) and (@ad<20000414 or @prad<20000414)  709/206,207.ccls. and (track\$ or monitor\$) USPAT; 2004/04	/26 15:09
7 709/206,207.ccls. and (track\$ or monitor\$) USPAT; Same (message or packet or email or e-mail or electronic adj mail) same (website or web adj site) and (@ad<20000414 or @prad<20000414) TOB USPAT; IBM_TDB USPAT; 2004/04	/26 15:09
7 709/206,207.ccls. and (track\$ or monitor\$) USPĀT; Same (message or packet or email or e-mail or electronic adj mail) same (website or web adj site) and (@ad<20000414 or @prad<20000414) 71 709/206,207.ccls. and (track\$ or monitor\$) USPĀT; 2004/04	/26 15:09
same (message or packet or email or e-mail or electronic adj mail) same (website or web adj site) and (@ad<20000414 or @prad<20000414)  71 709/206,207.ccls. and (track\$ or monitor\$) USPAT; 2004/04	720 13.09
or electronic adj mail) same (website or web adj site) and (@ad<20000414 or @prad<20000414)  71 709/206,207.ccls. and (track\$ or monitor\$) USPAT; 2004/04	
web adj site) and (@ad<20000414 or	
- (71 709/206,207.ccls. and (track\$ or monitor\$) USPAT; 2004/04	
1 1 2004/04	
	/26 15:12
same (message or packet) and (@ad<20000414 US-PGPUB;	
or @prad<20000414) and (website or web adj EPO; JPO;	
site) DERWENT;	
709/206,207.ccls. and (track\$ or monitor\$) USPAT: 2004/04	100 15 15
709/206,207.ccls. and (track\$ or monitor\$) USPAT; 2004/04 same (message or packet or email or e-mail US-PGPUB;	/26 15:12
or electronic adj mail) and (@ad<20000414 EPO; JPO;	
or @prad<20000414) and (website or web adj DERWENT;	
site) IBM TDB	
	/26 15:31
same (message or packet or email or e-mail US-PGPUB;	
or electronic adj mail) and ((count with EPO; JPO;	
(message or packet)) or (number with DERWENT;	
(message or packet))) and (@ad<20000414 or IBM_TDB	
@prad<20000414) - (102) 709/206,207.ccls. and (track\$ or monitor\$) USPAT; 2004/04	(0.6. 1.5. 0.1
102   709/206,207.ccis. and (track\$ or monitor\$)   USPAT;   2004/04   same (message or packet or email or e-mail US-PGPUB;	/26 15:31
or electronic adj mail) and ((count near EPO; JPO;	
(message or packet)) or (number near DERWENT;	
(message or packet))) and (@ad<20000414 or IBM TDB	
@prad<20000414)	
- (50) 709/206,207.ccls. and (track\$ or monitor\$) USPAT; 2004/04	/26 17:03
same (message or packet or email or e-mail US-PGPUB;	
or electronic adj mail) and ((count near EPO; JPO;	
(message or packet)) or (number near DERWENT; (message or packet))) and (@ad<20000414 or IBM TDB	
(message or packet))) and (@ad<20000414 or IBM_TDB	
	/27 09:37
same (message or packet or email or e-mail US-PGPUB;	727 09.37
or electronic adj mail) and ((count near   EPO; JPO;	
(message or packet)) or (number near DERWENT;	
(message or packet))) and (@ad<20000414 or   IBM TDB	
@prad<20000414) and web\$5 and xml	
	/27 12:28
05 16165,	
EPO; JPO;	
DERWENT;   IBM TDB	
	/27 12:29
@ad<20000414) and (request\$ or quer\$) US-PGPUB;	12.23
EPO; JPO;	
DERWENT;	
IBM_TDB	
- 171 xml same xsl and (@prad<20000414 or USPAT; 2004/04	/27 12:29
@ad<20000414) and (request\$ or quer\$) US-PGPUB;	
EPO; JPO;	
DERWENT; IBM TDB	
	/27 12:35
(@prad<20000414 or @ad<20000414) US-PGPUB;	. Z / 1Z:35
EPO; JPO;	
DERWENT;	
IBM TDB	

- (41) (xml same xsl) and (xml with (request\$ or USPAT;	2004/04/27 12:36
	1 2004/04/2/ 12:36
quer\$)) and (@prad<20000414 or US-PGPUB;	
@ad<20000414) EPO; JPO;	
DERWENT;	
IBM TDB	
- (27) (xml same xsl) and (xml with ((request\$ or USPAT;	2004/04/27 12:40
quer\$) and (convert\$ or chang\$4))) and US-PGPUB;	2004/04/27 12:40
(@prad<20000414 or @ad<20000414) EPO; JPO;	
DERWENT;	
IBM TDB	0004/04/07 10 41
1 1 ( Table ) and ( Teddesty of duety)   OSFAI,	2004/04/27 12:41
near (convert\$ or chang\$4) near xml) and US-PGPUB;	1
(@prad<20000414 or @ad<20000414) EPO; JPO;	
DERWENT;	1
IBM_TDB	1
- (10) (xml same xsl) and ((request\$ or quer\$) USPAT;	2004/04/27 13:19
with (convert\$ or chang\$4) with xml) and US-PGPUB;	]
(@prad<20000414 or @ad<20000414) EPO; JPO;	
DERWENT;	]
IBM TDB	
- (14) convert near request near xml USPAT;	2004/04/27 13:19
US-PGPUB;	2001/01/2/ 13:13
EPO; JPO;	ì
DERWENT;	
- IBM_TDB USPAT;	2004/04/27 13:21
	2004/04/2/ 13:21
EPO; JPO;	
DERWENT;	
IBM_TDB	1
O convert near quer\$ near xml and USPAT;	2004/04/27 13:22
(@prad<20000414 or @ad<20000414) US-PGPUB;	<u> </u>
EPO; JPO;	
DERWENT;	
IBM_TDB	1
- (3/ convert near5 request near5 xml and USPAT;	2004/04/27 13:23
(@prad<20000414 or @ad<20000414) US-PGPUB;	
EPO; JPO;	
DERWENT;	
IBM TDB	
- (21) convert\$ with request with xml and USPAT;	2004/04/27 13:24
(@prad<20000414 or @ad<20000414)	
EPO; JPO;	
DERWENT;	
IBM TDB	
- (18) (convert\$ with request with xml and USPAT;	2004/04/27 13:23
(@prad<20000414 or @ad<20000414)) not US-PGPUB;	2004/04/2/ 13:23
1 10 1 100000111	
(convert near request near xml and IBM_TDB	ļ
(@prad<20000414 or @ad<20000414)))	
7 convert\$ near5 request near5 xml and USPAT;	2004/04/28 12:55
(@prad<20000414 or @ad<20000414) US-PGPUB;	1
EPO; JPO;	1
DERWENT;	]
IBM TDB	

L Number	Hits	Search Text	DB	Timo ota-
- namer	6	dattatri.in.	USPAT;	Time stamp 2004/03/08 13:31
		daecacii.iii.	US-PGPUB	2004/03/08 13:31
<u> </u>	(3)	slam\$dunk.as.		2004/02/00 10 01
1	( 3)	STAMPOUNT. as.	USPAT;	2004/03/08 13:31
1_	$\sim$	slam\$dunk.as.	US-PGPUB	2004/02/02 15 55
	( 4)	Stampunk.as.	EPO; JPO;	2004/03/08 13:31
	$\cup$		DERWENT;	
1_		dattatri.in.	IBM_TDB	2004/02/00 12 10
	( ' )	dattatri.in.	EPO; JPO; DERWENT;	2004/03/08 13:42
	$\overline{}$			
1_	4034	((monitor\$ or track\$ or trac\$) near	IBM_TDB USPAT;	2004/02/08 15:20
	1034	message)	US-PGPUB	2004/03/08 15:30
_	9912	((monitor\$ or track\$ or trac\$ or follow\$3)	USPAT;	2004/03/08 15:31
1	,,,,,	near message)	US-PGPUB	2004/03/08 13:31
_	3089	((monitor\$ or track\$ or trac\$ or follow\$3)	USPAT;	2004/03/08 15:33
		near message) and ((archiv\$ or stor\$ or	US-PGPUB	2004/03/00 13:33
		sav\$) near message)	05 10105	
1 -	860	((monitor\$ or track\$ or trac\$ or follow\$3)	USPAT;	2004/03/08 15:33
}		near message) and ((archiv\$ or stor\$ or	US-PGPUB	2004/03/00 13.33
		sav\$) near message) and web\$5		
[ <b>-</b>	331	((monitor\$ or track\$ or trac\$ or follow\$3)	USPAT;	2004/03/08 15:34
		near message) and ((archiv\$ or stor\$ or	US-PGPUB	=00.,00,00 +0.54
		sav\$) near message) and web\$5 and		
		@ad<20000414		
-	148	((monitor\$ or track\$ or trac\$ or follow\$3)	USPAT;	2004/03/08 15:36
		near message) and ((archiv\$ or stor\$ or	US-PGPUB	
		sav\$) near message) and web\$5 and		
		((count\$3 or number) near message) and		
		@ad<20000414		
-	(34)	((monitor\$ or track\$ or trac\$ or follow\$3)	USPAT;	2004/03/08 16:10
		near message) and ((archiv\$ or stor\$ or	US-PGPUB	
	)	sav\$) near message) and web\$5 and		
		((count\$3 or number) near message) and xml		
	63	and @ad<20000414		
-	(32)	(messag\$ near delivery near system) and	USPAT;	2004/03/08 16:52
	2000	@ad<20000414 and 709/.ccls.	US-PGPUB	
-	(102)	(messag\$ near delivery near system) and @ad<20000414	EPO; JPO;	2004/03/09 09:10
ļ	)	ead<2000414	DERWENT;	
_	157	(messag\$ near deliver\$ near (system or	IBM_TDB	2004/02/00 00 11
	137	network)) and @ad<20000414	EPO; JPO; DERWENT;	2004/03/09 09:11
	_	neework// and edu<20000414	IBM TDB	
_	(29)	(messag\$ near deliver\$ near (system or	USPAT;	2004/03/09 10:13
		network)) and ((electronic near document	US-PGPUB	2004/03/09 10:13
		near interchange) or edi or b2b or	55 15155	
		('business to business'))		.
-	67	(messag\$ near deliver\$ near (system or	USPAT;	2004/03/09 10:20
	_	network)) and (track\$ near (deliver\$ or	US-PGPUB	=====================================
		message))		
-	56	(messag\$ near deliver\$ near (system or	USPAT;	2004/03/09 10:20
1		network)) and (track\$ near (deliver\$ or	US-PGPUB	
	\\	message)) and (archiv\$ or database)		
-	(45)	(messag\$ near deliver\$ near (system or	USPAT;	2004/03/09 10:20
		network)) and (track\$ near (deliver\$ or	US-PGPUB	
		message)) and (archiv\$ or database) and		
		(number near message)		
-	(9)	(messag\$ near deliver\$ near (system or	USPAT;	2004/03/09 10:37
		network)) and (track\$ near (deliver\$ or	US-PGPUB	
] 1		message)) and (archiv\$ or database) and		
_	/ <u>,                                   </u>	(number near message) and xml		000.405.455
	<b>(</b> *)	(secure near messag\$ near deliver\$ near	USPAT;	2004/03/09 10:42
	$\sim$	<pre>(system or network)) and (track\$ near (deliver\$ or message)) and (archiv\$ or</pre>	US-PGPUB	
1	1	detabase) and (number near message) and		
	ا ح	xml		
_	(2)	(secure near transmi\$ near message) and	USPAT;	2004/02/00 10:41
	(1)	(track\$ near (deliver\$ or message)) and	US-PGPUB	2004/03/09 10:41
	$\sim$ $\mid$	(archiv\$ or database) and (number near	02-16100	
		message) and xml		
		J - 1		

	<del></del>			
-	/6	(secure near transmi\$ near message) and	USPAT;	2004/03/09 10:44
		(track\$ near (deliver\$ or message)) and	US-PGPUB	
		(archiv\$ or database)		
-	(1)	(secure near messag\$ near deliver\$ near	USPAT;	2004/03/09 10:43
		(system or network)) and (track\$ near	US-PGPUB	
		(deliver\$ or message)) and (archiv\$ or		
		database)		
-	[1]	(secure near messag\$ near deliver\$ near	USPAT;	2004/03/09 10:44
		(system or network)) and (track\$ near	US-PGPUB	
		(deliver\$ or message))		
-	(6)	)(secure near transmi\$ near message) and	USPAT;	2004/03/09 11:40
		(track\$ near (deliver\$ or message))	US-PGPUB	
-	(41)	(track\$ near message) same web\$5	USPAT;	2004/03/09 16:18
			US-PGPUB	
-	1034	xsl	USPAT;	2004/03/09 16:18
1			US-PGPUB	]
-	667	xsl and message	USPAT;	2004/03/09 16:18
		_	US-PGPUB	
-	657	xsl and message and xml	USPAT;	2004/03/09 16:19
			US-PGPUB	
-	57	xsl and message and xml and (message near	USPAT;	2004/03/09 16:50
	$ $ $\rightarrow$	deliver\$)	US-PGPUB	
-	(57 <i>)</i>	xsl and xml and (message near deliver\$)	USPAT;	2004/03/09 16:57
		•	US-PGPUB	